


专注 Focus RUILANG® ■Tail Lights ■Reflectors ■Signal Lights ■Working Lights 专业 Professional

从锐朗制造 · 走向锐朗创造

FROM RUILANG MANUFACTURING TO RUILANG CREATE

RENQIU RUILANG AUTO PARTS CO.,LTD.

Add：Changfeng Industrial Park Renqiu City Beijing

Tel：+86-317-3369989 3369969

Mob/Wechat: +86-185 1528 8265

+86-138 3378 7666

+86-136 5337 1688

Http://www.rlautoparts.com

E-mail: kelly@rlautoparts.com

Ein@rlautoparts.com

International: Kelly Yun

International: Ein Chen

Domestic: Mr Chen

RUILANG®

■Tail Lights ■Reflectors

■Signal Lights ■Working Lights



PROFESSIONAL MANUFACTURER
OF TRUCK AND TRAILER LIGHTS

ISO 9001:2008



COMPANY INTRODUCTION

公司简介

任丘市锐朗汽车配件有限公司是一家民营股份制企业，公司创建于2008年，现已通过ISO9001质量体系标准和3C产品、CE、SASO、EMARK、DOT等认证，公司自主研发、制造和销售，拥有各类汽车塑料配件，精密模具及彩印包装，在汽车灯具、汽车后视镜及其PC塑料配件开发生产能力逐渐提升，产品已为多家汽车改装厂配套，同时已出口到欧美、南美、澳洲、非洲、中东、东南亚等地。

公司成立以来，拥有高素质的职工队伍，特聘高级管理人员，高级技术人员，形成了不羁凝聚的团队，始终秉承“以品质、诚信、创 新”为核心的价值观，在汽车配件行业日新月异发展和行业竞争激烈的今天，锐朗积极面对，全面树立品牌形象的信心，以彰显锐朗不断攀升的市场地位、技术优势和日益提高的品牌影响力，以及打造面向国际产品的决心。

愿竭诚与国内外客户通力合作，不断为您创造更多、更高的价值。

Renqiu Rui Lang Auto Parts Co., Ltd. is a private joint-stock enterprises, the company was founded in 2008, has now passed the ISO9001 quality system standards and the certification of 3C, CE, SASO, EMARK, DOT(SAE), Strong ability R&D team, manufacturing and sales, with all kinds of automotive plastic parts, precision molds and printing packaging equipment, automotive lighting, automotive mirrors and their development of PC plastic parts production capacity gradually enhance Products have been exported to Europe, America, South America, Australia, Africa, Middle East, Southeast. **OEM & ODM projects are welcomed !**

Since its establishment, has a highly qualified workforce, Chair of the senior management, senior technical staff, the formation of the team cohesion uninhibited, always adhering to the "quality, integrity, innovation "As the core values in the automotive industry, the rapid development and intense competition in the industry today, Rui Lang to face, to establish a brand image of confidence, and to highlight the rising sharply Long Market position, technological advantage and increasing brand influence, and the determination to create international products.

Welcome all customers to join together with us as partner to work together !

CONTENTS

LED SEALED STOP/TURN/TAIL SIGNAL LIGHTS

4 " Round sealed LED lights ---------- 7-16

5 " Round sealed LED lights ---------- 17

6 " Oval sealed LED lights ---------- 18-20

LED MARKER/CLEARANCE LIGHTS

2.5 " Round sealed LED marker lights ---------- 21-22

2 " Round sealed LED marker lights ---------- 23-25

Surface mount LED marker lights ---------- 26-59

LICENSE PLATE LIGHTS

License plate lights ---------- 60-61

COMBINATION TAIL LIGHTS

Combination LED tail lights ---------- 62-90

Combination BULB tail lights ---------- 91-93

WORKING LIGHTS

Working lights ---------- 94-119


ACCESSORIES


Bracket / Grommet / Plug / Trim Ring / Gasket -------- 121-124

Reflector ---------- 124-125


WARRANTY ---------- 126


LED







See
page 03
for details of
numbered
areas













LED


See
page 03
for details of
numbered
areas




















LED

IMPORTANT NOTE: Every lamp, reflex reflector, and conspicuity treatment must be permanently attached in the location specified below and must comply with all applicable requirements prescribed for it by FMVSS/CMVSS 108. The face of any device on the front/rear and sides should be, respectively perpendicular and parallel to the vehicle's centerline, unless it is photometrically certified at installation angle. No part of the vehicle shall prevent and device from meeting its prescribed requirements unless an auxiliary device meeting all prescribed requirements is installed.

BASIC EQUIPMENT REQUIRED ON ALL TRUCKS, BUSES & MPVs

Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
1	Headlamps–Lower Beam US requires"DOT"lettering on lens US & Canada–light source code required on lens	(H,HR)	Forward road illumination	Minimum 2	White	On the front – symmetrical as far apart as practicable If 4 lamp system – outboard or above upper beams	560–1370 (22–54)
	Headlamps–Upper Beam US requires"DOT"lettering on lens US & Canada–light source code required on lens	(H,HR)	Forward road illumination	Minimum 2	White	On the front – symmetrical If 4 lamp system – outboard or above upper beams	560–1370 (22–54)
	Parking Lamps Vehicles less than 2032mm wide	(P)	Indicate parked vehicle	Minimum 2	White or Yellow	On the front – symmetrical as far apart as particanble	380–1530 (15–60)
	Daytime Running Lamps(DRL) Canada–required/US–option US requires"DRL"lettering on lens if not headlamp	(Y2)	Indicate parked vehicle	Minimum 2	White or Yellow	On the front – symmetrical as far apart as particanble	380(15)min. Max.depends on type of DRL
	Front Turn Signal/ Hazard Warning Lamps	(I)	Indicate direction of turn/ identify disabled vehicle	Minimum 2	Yellow	On the front – symmetrical as far apart as particanble	380–2110 (15–83)
2	Front Clearance Lamps Vehicles 2032mm wide or wider *photometrically certified at installation angle	(P2,PC*or P3,PC2*)	Show vehicle's width	Minimum 2	Yellow	At widest point–symmetrical on the front or near the front facing forward	At high as prcticable
3	Front Identification Lamps(ID) Vehicles 2032mm wide or wider	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Yellow	On the front–center horizontally spaced 150mm (6 in.) To 300 mm(12 in.)apart	At high as prcticable or on top of the cab
4a	Front Side Marker Lamps *photometrically certified at installation angle	(P2,PC*or P3,PC2*)	Front and rear side marker lamps/ side reflex reflector indi–cate vehicle's presence and length	Minimum 2	Yellow	Each side at front as far forward as practicable	380–(15) minimum
4b	Front Side Refles Reflectors	(A)		Minimum 2	Yellow	At front–symmetrical as far forward as practicable facing sideward	380–1530 (15–60)
5a	Rear Side Marker Lamps* * *photometrically certified at installation angle	(P2,PC*or P3,PC2*)		Minimum 2	Red	Each side at front as far forward as practicable	380–(15) minimum
5b	Rear Side Reflex Reflectors* * *not required on Truck Tractors	(A)		Minimum 2	Red	Each side at front as far back as practicable facing sideward	380–1530 (15–60)
6	Rear Clearance Lamps Vehicles 2032mm wide or wider Not required on Truck Tractors *photometrically certified at installation angle	(P2,PC*or P3,PC2*)	Show vehicle's width MAY NOT be combined with tail lamps	Minimum 2	Red	At widest point – symmetrical on the rear or near the rear facing rearward	As high as practicable may be lower only if rear ID lamps are at the top
7	Rear Identification(ID) Lamps Vehicles 2032mm wide or wider Not required on Truck Tractors	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Red	On the rear–center horizontally spaced 150mm(6 in.) To 300mm(12 in.) Apart facing rearward	**In Canada:** at the top–lower if door header narrower than 25mm **In USA:** as high as practicable
8	Tail Lamps	(T)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear–symmetrical as far apart as practicable	380–1830 (15–72)
	Stop Lamps	(S)	Indicate btaking	Minimum 2	Red	On the rear–symmetrical as far apart as practicable	380–1830 (15–72)
	Rear Turn Signal/ Hazard Warning Lamps	(I)	Indicate direction of turn/ identify disabled vehicle	Minimum 2	Red or yellow	On the rear–symmetrical as far apart as practicable	380–2110 (15–83)
	Rear Reflex Reflectors	(A)	Show vehicle's presence and width	Minimum 2	Red	On the rear–symmetrical as far apart as practicable	380–1530 (15–60)
9	Backup Lamp	(R)	Illuminates ground behind the vehicle and alert road users	Minimum 1	White	Rear	No requirement
10	License Plate Lamp(s)	(L)	Illuminates license plate	Minimum 1	White	On the rear–above or at the sides of license plate	No requirement
11	Center High Mounted Stop Lamp Vehicles less than 2032mm wide and 4536kg	(U3)	Indicates braking	1	Red	On the rear–centerline of the vehicle	860 (34) minimum

ADDITIONAL EQUIPMENT FOR SPECIFIC VEHICLES


VEHICLES 9.1m (30 ft.) LONG OR LONGER

Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
12a	Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center	380 (15) minimum
12b	Intermediate Side Reflex Reflectors	(A)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380–1530 (15–60)

Truck Tractors

Area	Conspicuity Treatment	DOT Coding	Quantity	Color	Location	Height	Options
13	Rear Upper Body Markings	DOT–C DOT–C2 DOT–C3 DOT–C4	Exactly 2 pairs of 300mm long strips	White	Rear upper corners of cab facing rearward	As high as practicable excluding fairings	
14	Rear Marking		Exactly 2 sections of min. 600mm each	Red/ White	Rear–facing rearward–on fenders, on mud flap brackets, or within 300mm below the top of mud flaps	As horixontal as practicable and not higher than 1525mm from the ground	If mud flaps not used–on the cab or frame mounted brackets

PROFESSIONAL
MANUFACTURER OF AUTO LAMP
RUILANG®





See page 06 for details of numbered areas

LED
RUILANG


PROFESSIONAL
MANUFACTURER OF AUTO LAMP
RUILANG®


LED







See page 06 for details of numbered areas









IMPORTANT NOTE: Every lamp, reflex reflector, and conspicuity treatment must be permanently attached in the location specified below and must comply with all applicable requirements prescribed for it by FMVSS/CMVSS 108. The face of any device on the front/rear and sides should be, respectively perpendicular and parallel to the vehicle's centerline, unless it is photometrically certified at installation angle. No part of the vehicle shall prevent and device from meeting its prescribed requirements unless an auxiliary device meeting all prescribed requirements is installed.

BASIC EQUIPMENT REQUIRED ON ALL TRAILERS

Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm (in.) from the ground
1	Tai Lamps	(T)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear – symmetrical as far apart as practicable	380–1830 (15–72)
	Stop Lamps	(S)	Indicate braking	Minimum 2	Red	On the rear – symmetrical as far apart as practicable	380–1830 (15–72)
	Rear Turn Signal Lamps	(I)	Indicate direction of turn	Minimum 2	Red or Yellow	On the rear – symmetrical as far apart as practicable	380–2110 (15–83)
	Rear Reflex Reflectors	(A)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear – symmetrical as far apart as practicable facing rearward	380–1530 (15–60)
2	License Plate Lamp(s)	(L)	Illuminates license plate	Minimum 1	White	On the rear – above or at the sides of license plate	NO requirement
3	Rear Side Marker Lamps *photometrically certified at installation angle	(P2, PC* or P3, PC2*)	Front and rear side marker lamps/ side reflex reflector indicate vehicle's presence and length	Minimum 2	Red	Each side at rear as far back as practicable	380–1530(15–60) no max. for veh. under 2032mm(80")wide
	Rear Side Reflex Reflectors	(A)		Minimum 2	Red	Each side at rear as far back as practicable	380–1530 (15–60) facing side ward
4	a† Front Side Marker Lamps *photometrically certified at installation angle	(P2, PC* or P3, PC2*)		Minimum 2	Yellow	Each side at front as far forward as practicable	380 (15) mnimum
	b† Front Side Reflex Reflectors	(A)		Minimum 2	Yellow	Each side at front as far forward as practicable facing sideward	380–1530 (15–60)

†not required on trailers shorter than 6 feet in length

ADDITIONAL EQUIPMENT FOR TRAILERS EXCEEDING THE FOLLOWING PARAMETERS

Length 9.1m (30 ft.) or longer

Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm (in.) from the ground
5	a Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380 (15) mnimum
	b Intermediate Side Reflex Reflectors	(A)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380–1530 (15–60)

Width 2032mm (80 in.) or wider

Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height
6	Rear Clearance Lamps *photometrically certified at installation angle	(P2, PC* or P3, PC2*)	Show vehicle's width MAY NOT be combined with tail lamps	Minimum 2	Red	At widest point – symmetrical on the rear or near the rear facing rearward	As high as practicable may be lower only if ID lamps are at the top
7	Rear Identification (ID) Lamps	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Red	on the rear – center horizontally spaced 150mm (6 in.) to 300mm (12 in.) apart facing rearward	**In canada:** at the top – may be lower if door header narrower than 25mm **In USA:** as high as practicable
8	Front Clearance Lamps *photometrically certified at installation angle	(P2, PC* or P3, PC2*)	Show vehicle's width	Minimum 2	Yellow	At widest point – symmetrical on the rear or near the rear facing forward	As high as practicable

Width 2032mm (80 in.) or wider **AND** GVWR 4536 kg (10,000 lb.) or more

Area	Conspicuity Treatment	DOT Coding	Quantity	Color	Location	Height	Options
9	Rear Upper Body Markings	DOT-C DOT-C2 DOT-C3 DOT-C4	Exactly 2 pairs of 300mm long strips	White	On the rear upper corners facing rearward	At the top	Reflex reflectors may not be required if they are replaced in their replaced in their required location with conspicuity treatment **Optional in Canada:** Rear lower body and side conspicuity treatment may also be solid white, solid yellow, or white and yellow.
10	Bumper Bar Marking		Continuous	Red/White	On the rear bumper bar's horizontal element full width – facing rearward	No requirement	
11	Rear Lower Body Marking		Continuous	Red/White (see options)	On the rear full width of the vehicle facing rearward	As horzontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	
12	Side Marking		(see location)	Red/White (see options)	Each side – facing sideward contonuous, or evenly spaced over minimum of 50% of length start and ends as close to the front and rear of the vehicle as practicable	As horzontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	



RL-F001



RL-F002

RUiLANG® LED

4" ROUND SEALED LED LIGHTS

- Sonically sealed, waterproof .
- Multi-function: stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F001	40	12v/24v ,12-24v	Red,Amber,White
RL-F002	24	12v/24v ,12-24v	Red,Amber,White
RL-F003	12	12v/24v ,12-24v	Red,Amber,White





RL-F003

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs

Industry-standard Connections






Standard PL3 connection



Weathertight connection



Hard wired

RUiLANG® LED

4" ROUND SEALED LED LIGHTS

- Sonically sealed, waterproof .
- Multi-function: stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F004	24	12v/24v ,12-24v	Red,Amber,White
RL-F005	15	12v/24v ,12-24v	Red,Amber,White
RL-F006	24	12v/24v ,12-24v	Red,Amber,White



RL-F004



RL-F005




RL-F006

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs


Industry-standard Connections




Standard PL3 connection



Weathertight connection



Hard wired





RL-F007



RL-F008

RUILANG® LED

4" ROUND SEALED LED LIGHTS

- Sonically sealed, waterproof .
- Multi-function: stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F007	16	12v/24v ,12-24v	Red,Amber,White
RL-F008	12	12v/24v ,12-24v	Red,Amber,White
RL-F009	16	12v/24v ,12-24v	Red,Amber,White





RL-F009

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs

Industry-standard Connections






Standard PL3 connection



Weathertight connection



Hard wired

RUILANG® LED SEALED STOP/TURN/TAIL SIGNALS

RUILANG® LED

4" ROUND SEALED LED LIGHTS

- Sonically sealed, waterproof .
- Multi-function: stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F010	12	12v/24v ,12-24v	Red,Amber,White
RL-F011	24	12v/24v	Red+Yellow/Red+White
RL-F012	67	12v/24v	Red,Amber,White



RL-F010



RL-F011




RL-F012

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs


Industry-standard Connections




Standard PL3 connection



Weathertight connection



Hard wired





RL-F013



RL-F014

RUILANG® LED

4" ROUND SEALED LED LIGHTS

- Sonically sealed, waterproof .
- Multi-function: stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .
- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F013	66	12v/24v	Red,Amber,White
RL-F014	55	12v/24v	Red,Amber,White
RL-F015	52	12v/24v	Red,Amber,White





RL-F015

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00 × 31.00 × 34.00 cm
- G.w : 14.50 kgs

Industry-standard Connections






Standard PL3 connection



Weathertight connection



Hard wired

RUILANG® LED

LIGHT GUIDE 4" ROUND SEALED LED LIGHTS

- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .
- Mount Accessories option :Rubber grommet /Stainless steel trim ring/Flange cover .
- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F016	30	12v/24v ,12-24v	Red,Amber,White
RL-F017	24	12v/24v ,12-24v	Red,Amber,White
RL-F018	24	12v/24v ,12-24v	Red,Amber,White



RL-F016



RL-F017




RL-F018

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00 × 31.00 × 34.00 cm
- G.w : 14.50 kgs


Industry-standard Connections




Standard PL3 connection



Weathertight connection



Hard wired





RL-F019



RL-F020

RUILANG® LED

LIGHT GUIDE / WITH REFLEX 4" ROUND SEALED LED LIGHTS

- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .
- Mount Accessories option :Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F019	22	12v/24v ,12-24v	Red,Amber,White
RL-F020	12	12v/24v ,12-24v	Red,Amber,White
RL-F021	24	12v/24v ,12-24v	Red,Amber,White





RL-F021

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs

Industry-standard Connections






Standard PL3 connection




Weathertight connection




Hard wired

RUILANG® LED SEALED STOP/TURN/TAIL SIGNALS



RL-F022



RL-F023


RUILANG® LED

4" ROUND SEALED LED LIGHTS WITH REFLEX

- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .
- Lens with reflex ,Trim ring with reflex .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F022	7	12v/24v ,12-24v	Red,Amber,White
RL-F023	10	12v/24v ,12-24v	Red,Amber,White
RL-F024	24	12v/24v ,12-24v	Red,Amber,White




RL-F024

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs


Industry-standard Connections




Standard PL3 connection



Weathertight connection



Hard wired





RL-F025



RL-F027

RUILANG® LED

4" ROUND SEALED LED LIGHTS

- Sonically sealed, waterproof .
- Multi-function: stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F025	27	12v/24v ,12-24v	Red,Amber,White
RL-F027	48	12v/24v ,12-24v	Red,Amber,White
RL-F029	20	12v/24v ,12-24v	Red,Amber,White





RL-F029

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs

Industry-standard Connections






Standard PL3 connection



Weathertight connection



Hard wired

RUILANG® LED

4" ROUND SEALED LED LIGHTS

- Sonically sealed, waterproof .
- Multi-function: stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail



RL-F030



RL-F031

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-F030	27	12v/24v ,12-24v	Red,Amber,White
RL-F031	48	12v/24v ,12-24v	Red,Amber,White
RL-F032	31	12v/24v ,12-24v	Red,Amber,White




RL-F032

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 14.50 kgs


Industry-standard Connections




Standard PL3 connection



Weathertight connection




Hard wired





RL-V001



RL-V002

RUILANG® LED

5" ROUND SEALED LED LIGHTS

- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .


- Connection Optional :
- Hard wired


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-V001	32	12v/24v ,12-24v	Red+Yellow/Red+White
RL-V002	59	12v/24v ,12-24v	Red+Yellow/Red+White

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 71.00 × 31.00 × 34.00 cm
- G.w : 14.50 kgs

Industry-standard Connections







Hard wired

RUILANG® LED

6" OVAL SEALED LED LIGHTS

- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-X001	20	12v/24v ,12-24v	Red,Amber,White
RL-X002	56	12v/24v ,12-24v	Red,Amber,White
RL-X003	26	12v/24v ,12-24v	Red,Amber,White



RL-X001



RL-X002



RL-X003

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 47.50 × 42.00 × 27.50 cm
- G.w : 14.50 kgs


Industry-standard Connections




Standard PL3 connection



Weathertight connection



Hard wired





RL-X004



RL-X005



RL-X006

RUILANG® LED

6" OVAL SEALED LED LIGHTS


- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-X004	10	12v/24v ,12-24v	Red,Amber,White
RL-X005	10	12v/24v ,12-24v	Red,Amber,White
RL-X006	27	12v/24v ,12-24v	Red,Amber,White

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 47.50 × 42.00 × 27.50 cm
- G.w : 14.50 kgs




Industry-standard Connections



Standard PL3 connection



Weathertight connection



Hard wired

RUILANG® LED

LIGHT GUIDE 6" OVAL SEALED LED LIGHTS

- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard PL-3 pigtail
- Weathertight pigtail

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-X007	32	12v/24v ,12-24v	Red,Amber,White
RL-X008	22	12v/24v ,12-24v	Red,Amber,White
RL-X009	29	12v/24v ,12-24v	Red,Amber,White

Packing details

- 1pc/color box. 50pcs/ctn.
- Meas : 47.50 × 42.00 × 27.50 cm
- G.w : 14.50 kgs



RL-X007



RL-X008



RL-X009


Industry-standard Connections




Standard PL3 connection



Weathertight connection



Hard wired





RL-P001



RL-P002



RL-P003

RUILANG® LED


2.5" ROUND SEALED LED MARKER/ CLEARANCE LIGHTS

- Sonically sealed ,waterproof .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .
- Connection Optional :
- Hard wired
- Standard two pin PL-10 Plug

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-P001	6/9	12v/24v ,12-24v	Red,Amber,White
RL-P002	13	12v/24v ,12-24v	Red,Amber,White
RL-P003	4	12v/24v ,12-24v	Red,Amber,White

Packing details

- 1pc/color box. 100pcs/ctn.
- Meas : 46.00×22.50×37.00 cm
- G.w : 7.00 kgs



Industry-standard Connections



Standard PL3 connection



Weathertight connection



Hard wired

RUILANG® LED

2.5" ROUND SEALED LED MARKER/ CLEARANCE LIGHTS

- Sonically sealed ,waterproof .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .
- Connection Optional :
- Hard wired
- Standard two pin PL-10 Plug

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-P004	12	12v/24v ,12-24v	Red,Amber,White
RL-P005	4	12v/24v ,12-24v	Red,Amber,White
RL-P006	9	12v/24v ,12-24v	Red,Amber,White

Packing details

- 1pc/color box. 100pcs/ctn.
- Meas : 46.00×22.50×37.00 cm
- G.w : 7.00 kgs



RL-P004



RL-P005



RL-P006

Industry-standard Connections




Standard PL3 connection



Weathertight connection



Hard wired





RL-C001



RL-C002

RUILANG® LED

2" ROUND SEALED LED MARKER/ CLEARANCE LIGHTS

- Sonically sealed ,waterproof .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard two pin PL-10 Plug


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-C001	9	12v/24v ,12-24v	Red,Amber,White
RL-C002	6	12v/24v ,12-24v	Red,Amber,White
RL-C003	13	12v/24v ,12-24v	Red,Amber,White



RL-C003

Packing details

- 1pc/color box. 100pcs/ctn.
- Meas : 42.00×22.00×34.00 cm
- G.w : 6.80 kgs



Industry-standard Connections



Standard PL3 connection



Weathertight connection



Hard wired

www.rlautoparts.com E-mail: kelly@rlautoparts.com

LED MARKER/CLEARANCE LIGHTS
RUILANG®

RUILANG® LED

2" ROUND SEALED LED MARKER/ CLEARANCE LIGHTS



RL-C004

- Sonically sealed ,waterproof .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .

- Connection Optional :
- Hard wired
- Standard two pin PL-10 Plug



RL-C005


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-C004	7	12v/24v ,12-24v	Red,Amber,White
RL-C005	4	12v/24v ,12-24v	Red,Amber,White
RL-C006	6	12v/24v ,12-24v	Red,Amber,White



RL-C006

Packing details

- 1pc/color box. 100pcs/ctn.
- Meas : 42.00×22.00×34.00 cm
- G.w : 6.80 kgs



Industry-standard Connections



Standard PL3 connection



Weathertight connection



Hard wired



RL-C007



RL-C008

RUILANG® LED

2" ROUND SEALED LED MARKER/ CLEARANCE LIGHTS

- Sonically sealed ,waterproof .
- Mount Accessories option : Rubber grommet /Stainless steel trim ring/Flange cover .
- Connection Optional :
- Hard wired
- Standard two pin PL-10 Plug


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-C007	9	12v/24v ,12-24v	Red,Amber,White
RL-C008	11	12v/24v ,12-24v	Red,Amber,White
RL-C009	13	12v/24v ,12-24v	Red,Amber,White



RL-C009

Packing details

- 1pc/color box. 100pcs/ctn.
- Meas : 42.00×22.00×34.00 cm
- G.w : 6.80 kgs



Industry-standard Connections



Standard PL3 connection



Weathertight connection



Hard wired

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S001	4	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S002	10	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S003	22	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S004	14	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S005	23	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S006	3	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S001



RL-S002



RL-S003

Packing details

RL-S001
- 1pc/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S002
- 1pc/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S003
- 1pc/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S004
- 1pc/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S005
- 1pc/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S006
- 1pc/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 11.00 kgs



RL-S004



RL-S005



RL-S006



RL-S007



RL-S008



RL-S009



RL-S010



RL-S011



RL-S012

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically /Glue sealed , waterproof
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S007	20	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S008	2	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S009	2/6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S010	3/6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S011	5	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S012	21	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S007
- 2pcs/color box. 200pcs/ctn.
- Meas : 65.00×30.00×32.00 cm
- G.w : 14.00 kgs

RL-S008
- 2pcs/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S009
- 2pcs/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S010
- 2pcs/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 12.00 kgs

RL-S011
- 1pc/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 11.00 kgs

RL-S012
- 1pc/color box. 100pcs/ctn.
- Meas : 45.00×32.00×32.00 cm
- G.w : 8.00 kgs

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed , waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S013	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S014	16	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S015	17	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S016	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S017	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S018	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S013
- 2pcs/color box. 200pcs/ctn.
- Meas : 65.00×30.00×32.00 cm
- G.w : 14.00 kgs

RL-S014
- 2pcs/color box. 200pcs/ctn.
- Meas : 65.00×30.00×32.00 cm
- G.w : 14.00 kgs

RL-S015
- 2pcs/color box. 200pcs/ctn.
- Meas : 65.00×30.00×32.00 cm
- G.w : 14.00 kgs

RL-S016
- 2pcs/color box. 200pcs/ctn.
- Meas : 65.00×30.00×32.00 cm
- G.w : 14.00 kgs

RL-S017
- 2pcs/color box. 200pcs/ctn.
- Meas : 65.00×30.00×32.00 cm
- G.w : 14.00 kgs

RL-S018
- 2pcs/color box. 400pcs/ctn.
- Meas : 52.00×36.00×43.00 cm
- G.w : 22.00 kgs



RL-S013



RL-S014



RL-S015




RL-S016



RL-S017



RL-S018



RL-S019



RL-S020



RL-S021

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonially/Glue sealed , waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S019	6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S020	11	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S021	8	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S022	21	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S023	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S024	5	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S022



RL-S023



RL-S024

Packing details

RL-S019
- 2pcs/color box. 400pcs/ctn.
- Meas : 51.00×24.00×57.00 cm
- G.w : 25.00 kgs

RL-S020
- 2pcs/color box. 400pcs/ctn.
- Meas : 54.00×26.00×58.00 cm
- G.w : 20.00 kgs

RL-S021
- 10pcs/color box. 1000pcs/ctn.
- Meas : 41.50×34.00×26.00 cm
- G.w : 17.50 kgs

RL-S022
- 1pc/color box. 400pcs/ctn.
- Meas : 52.00×38.50×57.00 cm
- G.w : 25.00 kgs

RL-S023
- 2pcs/color box. 800pcs/ctn.
- Meas : 51.00×24.00×57.00 cm
- G.w : 22.00 kgs

RL-S024
- 2pcs/color box. 400pcs/ctn.
- Meas : 51.00×24.00×57.00 cm
- G.w : 15.00 kgs

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S025	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S026	5	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S027	7	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S028	Bulb	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S029	10	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S030	6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S025




RL-S026



RL-S027



RL-S028



RL-S029



RL-S030

Packing details

RL-S025
- 2pcs/color box. 200pcs/ctn.
- Meas : 42.00×39.00×40.00 cm
- G.w : 15.00 kgs

RL-S026
- 2pcs/color box. 200pcs/ctn.
- Meas : 42.00×39.00×40.00 cm
- G.w : 15.00 kgs

RL-S027
- 2pcs/color box. 200pcs/ctn.
- Meas : 42.00×39.00×40.00 cm
- G.w : 15.00 kgs

RL-S028
- 1pc/color box. 100pcs/ctn.
- Meas : 44.00×35.00×44.00 cm
- G.w : 14.00 kgs

RL-S029
- 2pcs/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 12.00 kgs

RL-S030
- 2pcs/color box. 200pcs/ctn.
- Meas : 42.00×23.00×42.00 cm
- G.w : 11.00 kgs



RL-S031



RL-S032



RL-S033



RL-S034



RL-S035



RL-S036

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S031	4	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S032	3	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S033	6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S034	3	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S035	3	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S036	5	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S031
- 2pcs/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 12.00 kgs

RL-S032
- 2pcs/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 12.00 kgs

RL-S033
- 10pcs/color box. 1000pcs/ctn.
- Meas : 45.00×40.00×33.00 cm
- G.w : 21.00 kgs

RL-S034
- 1pc/color box. 200pcs/ctn.
- Meas : 51.00×24.00×30.00 cm
- G.w : 12.00 kgs

RL-S035
- 1pc/color box. 200pcs/ctn.
- Meas : 51.00×24.00×30.00 cm
- G.w : 12.00 kgs

RL-S036
- 1pc/color box. 200pcs/ctn.
- Meas : 51.00×24.00×30.00 cm
- G.w : 12.00 kgs

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically/Glue sealed , waterproof.
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S037	16	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S038	7	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S039	21	12v/24v ,12-24v	White+Blue
RL-S040	36	12v/24v ,12-24v	White
RL-S041	15	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S042	26	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S037
- 2pcs/color box. 400pcs/ctn.
- Meas : 55.00×23.00×40.00 cm
- G.w : 12.00 kgs

RL-S038
- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 12.00 kgs

RL-S039
- 1pc/color box. 100pcs/ctn.
- Meas : 55.00×23.00×40.00 cm
- G.w : 9.00 kgs

RL-S040
- 1pc/color box. 100pcs/ctn.
- Meas : 45.00×32.00×32.00 cm
- G.w : 9.00 kgs

RL-S041
- 2pcs/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 12.00 kgs

RL-S042
- 1pc/color box. 100pcs/ctn.
- Meas : 45.00×32.00×32.00 cm
- G.w : 7.00 kgs



RL-S037



RL-S038



RL-S039



RL-S040



RL-S041



RL-S042



RL-S043



RL-S044



RL-S045



RL-S046



RL-S047



RL-S048

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed ,waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S043		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S044		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S045		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S046		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S047		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S048		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

RUILANG® LED MARKER/CLEARANCE LIGHTS

RUILANG® LED


SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed ,waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S049		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S050		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S051		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S052		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S053		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S054		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S049



RL-S050



RL-S051



RL-S052



RL-S053



RL-S054



RL-S055



RL-S056




RL-S057



RL-S058



RL-S059



RL-S060

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S055		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S056		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S057		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S058		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S059		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S060		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

RUILANG® LED MARKER/CLEARANCE LIGHTS

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S061		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S062		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S063		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S064		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S065		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S066		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S061



RL-S062



RL-S063



RL-S064



RL-S065



RL-S066




RL-S067



RL-S068



RL-S069



RL-S070



RL-S071



RL-S072

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed , waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S067		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S068		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S069		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S070		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S071		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S072		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

RUILANG® LED MARKER/CLEARANCE LIGHTS

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket , waterproof .
- Surface mount installation
- Hard wired


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S073	33	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S074	11	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S075	33	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S076	33	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S077	25	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S078	40	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S073



RL-S074



RL-S075



RL-S076



RL-S077



RL-S078

Packing details

RL-S073
- 4pcs/color box. 200pcs/ctn.
- Meas : 47.00×23.00×43.00 cm
- G.w : 21.00 kgs

RL-S074
- 4pcs/color box. 200pcs/ctn.
- Meas : 47.00×23.00×43.00 cm
- G.w : 21.00 kgs

RL-S075
- 4pcs/color box. 200pcs/ctn.
- Meas : 47.00×23.00×43.00 cm
- G.w : 21.00 kgs

RL-S076
- 4pcs/color box. 200pcs/ctn.
- Meas : 47.00×23.00×43.00 cm
- G.w : 21.00 kgs

RL-S077
- 1pc/color box. 100pcs/ctn.
- Meas : 51.00×28.00×34.00 cm
- G.w : 32.00 kgs


RL-S078
- 1pc/color box. 100pcs/ctn.
- Meas : 51.00×25.00×34.00 cm
- G.w : 32.00 kgs



RL-S079



RL-S080




RL-S081

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S079	36	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S080	18	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S081	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S082	24	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S083	16	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S082



RL-S083

Packing details

RL-S079
- 2pcs/color box. 100pcs/ctn.
- Meas : 38.00×22.50×32.00 cm
- G.w : 14.00 kgs

RL-S080
- 2pcs/color box. 100pcs/ctn.
- Meas : 53.00×22.50×41.00 cm
- G.w : 21.00 kgs

RL-S081
- 2pcs/color box. 100pcs/ctn.
- Meas : 53.00×22.50×41.00 cm
- G.w : 21.00 kgs

RL-S082
- 2pcs/color box. 100pcs/ctn.
- Meas : 43.00×16.50×57.00 cm
- G.w : 20.00 kgs

RL-S083
- 2pcs/color box. 100pcs/ctn.
- Meas : 51.00×28.50×34.00 cm
- G.w : 25.00 kgs

RUILANG® LED

DUAL FACE PEDESTAL MOUNT LIGHTS

- LED dual face park and turn light with built-in amber side marker with reflex.
- Chrome plated plastic housing and PC lens
- Hard wired ,includes separate ground wire .

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S084	38	12v/24v ,12-24v	Red+Yellow
RL-S085	48	12v/24v ,12-24v	Red+Yellow
RL-S086	48	12v/24v ,12-24v	Red+Yellow
RL-S087	36	12v/24v ,12-24v	Red+Yellow
RL-S088	50	12v/24v ,12-24v	Red+Yellow



RL-S084



RL-S085



RL-S086



RL-S087



RL-S088

Packing details

RL-S084
- 1pc/color box. 100pcs/ctn.
- Meas : 53.00×34.50×38.00 cm
- G.w : 12.00 kgs

RL-S085
- 1pc/color box. 50pcs/ctn.
- Meas : 71.00×31.00×34.00 cm
- G.w : 16.00 kgs

RL-S086
- 1pc/color box. 50pcs/ctn.
- Meas : 73.00×34.00×34.00 cm
- G.w : 17.00 kgs

RL-S087
- 1pc/color box. 50pcs/ctn.
- Meas : 73.00×34.00×34.00 cm
- G.w : 17.00 kgs

RL-S088
- 1pc/color box. 50pcs/ctn.
- Meas : 73.00×34.00×34.00 cm
- G.w : 17.00 kgs



RL-S089



RL-S090



RL-S091



RL-S092



RL-S093

RUILANG® LED

DUAL FACE PEDESTAL MOUNT LIGHTS

- Sonically sealed waterproof .
- Hard wired ,includes separate ground wire .

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S089	8	12v/24v ,12-24v	Red+White
RL-S090	10	12v/24v ,12-24v	Red+White
RL-S091	6	12v/24v ,12-24v	Red+White
RL-S092	6	12v/24v ,12-24v	Red+White
RL-S093	10	12v/24v ,12-24v	Red+White

Packing details

RL-S089
- 1pc/color box. 100pcs/ctn.
- Meas : 47.00×38.00×36.00 cm
- G.w : 22.00 kgs

RL-S090
- 1pc/color box. 100pcs/ctn.
- Meas : 47.00×38.00×36.00 cm
- G.w : 22.00 kgs

RL-S091
- 1pc/color box. 100pcs/ctn.
- Meas : 42.00×20.00×35.00 cm
- G.w : 14.00 kgs

RL-S092
- 1pc/color box. 50pcs/ctn.
- Meas : 57.00×21.00×55.00 cm
- G.w : 18.00 kgs

RL-S093
- 1pc/color box. 50pcs/ctn.
- Meas : 57.00×21.00×55.00 cm
- G.w : 18.00 kgs

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed , waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-L094	2	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-L095	3	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-L096	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-L097		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S094



RL-S095



RL-S096



RL-S097



RL-S104



RL-S105



RL-S106



RL-S107



RL-S108



RL-S109

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue/Sonically sealed waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S104	40	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S105	26	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S106	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S107	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S108	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S109	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S104
- 2pc/color box . 100pcs/ctn
- Meas : 71.00×31.00×34.00 cm
- G.w : 21.00kgs

RL-S105
- 8pc/color box . 480pcs/ctn
- Meas : 49.50×25.50×34.50 cm
- G.w : 28.00 kgs

RL-S106
- 1pc/color box . 240pcs/ctn
- Meas : 47.50×41.00×60.00 cm
- G.w : 23.00 kgs

RL-S107
- 1pc/color box . 200pcs/ctn
- Meas : 35.00×28.50×38.00 cm
- G.w : 15.00 kgs

RL-S108
- 1pc/color box . 200pcs/ctn
- Meas : 35.00×28.50×38.00 cm
- G.w : 15.00 kgs

RL-S109
- 1pc/color box . 200pcs/ctn
- Meas : 35.00×28.50×38.00 cm
- G.w : 15.00 kgs

RUILANG® LED MARKER/CLEARANCE LIGHTS

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed waterproof .
- Surface mount installation
- Hard wired



RL-S110



RL-S111




RL-S112


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S110	4	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S111	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S112	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S113	13	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S114	18	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S115	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S113



RL-S114



RL-S115

Packing details

RL-S110
- 1pc/color box . 100pcs/ctn
- Meas : 45.00×22.00×37.00 cm
- G.w : 7.00 kgs

RL-S111
- 1pc/color box . 100pcs/ctn
- Meas : 45.00×22.00×37.00 cm
- G.w : 7.00 kgs

RL-S112
- 1pc/color box . 100pcs/ctn
- Meas : 44.00×35.00×44.00 cm
- G.w : 12.70 kgs

RL-S113
- 2pc/color box . 200pcs/ctn
- Meas : 51.00×44.00×30.00 cm
- G.w : 12.00 kgs

RL-S114
- 2pc/color box . 200pcs/ctn
- Meas : 51.00×44.00×30.00 cm
- G.w : 12.00 kgs

RL-S115
- 2pc/color box . 200pcs/ctn
- Meas : 51.00×44.00×30.00 cm
- G.w : 12.00 kgs



RL-S116



RL-S117



RL-S118

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S116	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S117	2	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S118		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S119		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S120		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S121	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S119



RL-S120



RL-S121

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S122	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S123	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S124	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S125	4	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S126	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S127	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S122



RL-S123



RL-S124




RL-S125



RL-S126



RL-S127




RL-S128



RL-S129



RL-S130



RL-S131



RL-S132



RL-S133

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S128	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S129	9	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S130	21	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S131	21	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S132		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S133		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Sonically sealed waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S134		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S135	48	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S136	20	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S137	15	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-S134



RL-S135



RL-S136



RL-S137



RL-S166



RL-S176



RL-S198



RL-S199



RL-S200



RL-S201

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S166		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S176		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S198		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S199		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S200		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S201		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S166
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S176
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S198
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S199
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S200
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S201
- 2pcs/box. 80pcs/ctn.
- Meas : 52.00×33.50×31.00 cm
- G.w : 19.00 kgs

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S150	8	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S140	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S141	8	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S184	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S185	6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S143	12	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S150
- 2pcs/color box. 100pcs/ctn.
- Meas : 44.00×35.00×44.00 cm
- G.w : 18.00 kgs

RL-S140
- 2pcs/color box. 100pcs/ctn.
- Meas : 52.00×28.00×32.00 cm
- G.w : 18.00 kgs

RL-S141
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×23.00×51.00 cm
- G.w : 17.00 kgs

RL-S184
- 2pcs/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 13.00 kgs

RL-S185
- 2pcs/color box. 200pcs/ctn.
- Meas : 44.00×31.00×29.00 cm
- G.w : 9.00 kgs

RL-S143
- 2pcs/color box. 200pcs/ctn.
- Meas : 59.00×35.50×32.50 cm
- G.w : 16.00 kgs



RL-S150



RL-S140



RL-S141



RL-S184




RL-S185




RL-S143




RL-S145



RL-S147



RL-S173



RL-S162



RL-S149



RL-S163

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S145		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S147		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S173		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S162		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S149		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S163		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S145
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S147
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S173
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S162
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S149
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S163
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S098	40	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S099	47	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S100	56	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S101	31	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S102	35	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S103	18	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S098
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs


RL-S099
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S100
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs


RL-S101
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S102
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S103
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs



RL-S098



RL-S099



RL-S100



RL-S101




RL-S102



RL-S103




RL-S161




RL-S167




RL-S168



RL-S169



RL-S170



RL-S171

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S161		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S167		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S168		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S169		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S170		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S171		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S161
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S167
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S168
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S169
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S170
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S171
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S139		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S144		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S146		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S172		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S174		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S175		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

Packing details

RL-S139
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S144
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S146
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs


RL-S172
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs

RL-S174
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs


RL-S175
- 2pcs/color box. 100pcs/ctn.
- Meas : 55.00×27.00×31.00 cm
- G.w : 18.00 kgs



RL-S139




RL-S144



RL-S146



RL-S172



RL-S174



RL-S175



RL-S154



RL-S151



RL-S153



RL-S155



RL-S156



RL-S142

RUILANG® LED

SURFACE MOUNT LED MARKER / CLEARANCE LIGHTS

- Glue sealed with Iron bracket . waterproof .
- Surface mount installation
- Hard wired


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-S154	6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S151	5	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S153	6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S155	18	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S156	6	12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-S142		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

RUILANG® LED


COB SIDE MARKER LAMP/ CLEARANCE LIGHTS

- COB technical waterproof
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-SC001		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC002		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC003		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC004		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC005		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC006		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green




RL-SC001



RL-SC002



RL-SC003



RL-SC004



RL-SC005



RL-SC006



RL-SC007



RL-SC008



RL-SC009

RUILANG® LED

COB SIDE MARKER LAMP/ CLEARANCE LIGHTS

- COB technical waterproof
- Surface mount installation
- Hard wired


ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-SC007		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC008		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC009		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC018		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC019		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC023		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green



RL-SC018



RL-SC019




RL-SC023

RUILANG® LED

COB SIDE MARKER LAMP/ CLEARANCE LIGHTS

- COB technical waterproof
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-SC014		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC015		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC027		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC016		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC017		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC028		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green




RL-SC014




RL-SC015



RL-SC027



RL-SC016



RL-SC017



RL-SC028



RL-SC006



RL-SC020

RUILANG® LED

COB SIDE MARKER LAMP/ CLEARANCE LIGHTS

- COB technical waterproof
- Surface mount installation
- Hard wired

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-SC006		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green
RL-SC020		12v/24v ,12-24v	Red,Amber,Clear,Blue,Green

RUILANG® LED

LICENSE PLATE LIGHTS

- Sonically sealed waterproof .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-L001	4	12v/24v ,12-24v	White
RL-L002	3	12v/24v ,12-24v	White
RL-L003	4	12v/24v ,12-24v	White
RL-L004	8	12v/24v ,12-24v	White
RL-L005	4	12v/24v ,12-24v	White



RL-L001



RL-L002

RL-L003



RL-L004



RL-L005

Packing details

RL-L001
- 2pcs/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 12.00 kgs

RL-L002
- 2pcs/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 12.00 kgs

RL-L003
- 1pc/color box. 100pcs/ctn.
- Meas : 44.00×22.00×37.00 cm
- G.w : 7.00 kgs

RL-L004
- 1pc/color box. 100pcs/ctn.
- Meas : 52.00×24.00×35.00 cm
- G.w : 7.00 kgs

RL-L005
- 1pc/color box. 100pcs/ctn.
- Meas : 52.00×24.00×35.00 cm
- G.w : 7.00 kgs



RL-L006



RL-L007



RL-L008



RL-L009



RL-L010

RUiLANG® LED

LICENSE PLATE LIGHTS

- Sonically sealed waterproof .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	AVAILABLE COLOR
RL-L006	8	12v/24v ,12-24v	White
RL-L007	8	12v/24v ,12-24v	White
RL-L008	8	12v/24v ,12-24v	White
RL-L009	6	12v/24v ,12-24v	White
RL-L010	4	12v/24v ,12-24v	White

Packing details

RL-L006
- 1pc/color box. 100pcs/ctn.
- Meas : 57.00×28.00×38.00 cm
- G.w : 8.00 kgs

RL-L007
- 1pc/color box. 100pcs/ctn.
- Meas : 52.00×24.00×35.00 cm
- G.w : 9.00 kgs

RL-L008
- 1pc/color box. 200pcs/ctn.
- Meas : 40.00×24.50×26.00 cm
- G.w : 12.00 kgs

RL-L009
- 1pc/color box. 100pcs/ctn.
- Meas : 52.00×24.00×35.00 cm
- G.w : 7.00 kgs

RL-L010
- 1pc/color box. 100pcs/ctn.
- Meas : 52.00×24.00×35.00 cm
- G.w : 7.50 kgs

RUiLANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function : stop/turn/tail/back-up
- Hard wired , waterproof .

ITEM NO	VOLTAGE	LENS	HOUSING
RL-T001	12v/24v	PMMA	ABS
RL-T002	12v/24v	PMMA	ABS
RL-T003	12v/24v	PMMA	ABS
RL-T004	12v/24v	PMMA	ABS
RL-T005	12v/24v	PMMA	ABS
RL-T006	12v/24v	PMMA	ABS

Packing details

RL-T001
- 1pc/color box. 20pcs/ctn.
- Meas : 52.00×31.00×37.00 cm
- G.w : 20.00 kgs

RL-T002
- 1pc/color box. 20pcs/ctn.
- Meas : 52.00×31.00×37.00 cm
- G.w : 20.00 kgs

RL-T003
- 1pc/color box. 20pcs/ctn.
- Meas : 52.00×31.00×37.00 cm
- G.w : 20.00 kgs

RL-T004
- 1pc/color box. 20pcs/ctn.
- Meas : 52.00×31.00×37.00 cm
- G.w : 20.00 kgs

RL-T005
- 1pc/color box. 20pcs/ctn.
- Meas : 52.00×31.00×37.00 cm
- G.w : 20.00 kgs

RL-T006
- 1pc/color box. 20pcs/ctn.
- Meas : 52.00×31.00×37.00 cm
- G.w : 20.00 kgs



RL-T001



RL-T002



RL-T003



RL-T004




RL-T005



RL-T006



RL-T007



RL-T008



RL-T009



RL-T010



RL-T011

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS (LIGHT GUIDE)

- Multi-function : stop/turn/tail/back-up
- Hard wired, waterproof .
- Lens PC-Rated .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T007	100	12v/24v	IRON	Yellow+Red+White
RL-T008	125	12v/24v	IRON	Yellow+Red+White
RL-T009	88	12v/24v	IRON	Yellow+Red+White
RL-T010	138	12v/24v	IRON	Yellow+Red+White
RL-T011	100	12v/24v	IRON	Yellow+Red+White

Packing details

RL-T007
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs

RL-T008
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs

RL-T009
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs

RL-T010
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs


RL-T011
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS (LIGHT GUIDE)

- Multi-function : stop/turn/tail/back-up
- Hard wired, waterproof .
- Lens PC-Rated .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T012	92	12v/24v	IRON	Yellow+Red+White
RL-T013	72	12v/24v	IRON	Yellow+Red+White
RL-T014	128	12v/24v	IRON	Yellow+Red+White
RL-T015	134	12v/24v	IRON	Yellow+Red+White
RL-T016	112	12v/24v	IRON	Yellow+Red+White



RL-T012



RL-T013

RL-T014



RL-T015



RL-T016

Packing details

RL-T012
- 1pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 18.00 kgs

RL-T013
- 1pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 18.00 kgs

RL-T014
- 1pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 18.00 kgs

RL-T015
- 1pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 18.00 kgs

RL-T016
- 1pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 18.00 kgs




RL-T017



RL-T018



RL-T019



RL-T020



RL-T021



RL-T022

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Sonically sealed ,waterproof .
- Multi-function : stop/turn/tail/back-up .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T017	48	12v/24v ,12-24v	Iron	Red+Yellow
RL-T018	72	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T019	120	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T020	167	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T021	96	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T022	87	12v/24v ,12-24v	Rubber	Yellow+Red+White

Packing details

RL-T017
- 1pc/color box. 20pcs/ctn.
- Meas : 54.00×32.00×38.00 cm
- G.w : 20.00 kgs

RL-T018
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×47.50×37.00 cm
- G.w : 28.50 kgs

RL-T019
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×47.50×37.00 cm
- G.w : 28.50 kgs

RL-T020
- 1pc/color box. 20pcs/ctn.
- Meas : 62.50×60.00×25.50 cm
- G.w : 22.00 kgs

RL-T021
- 1pc/color box. 20pcs/ctn.
- Meas : 62.50×60.00×25.50 cm
- G.w : 22.00 kgs

RL-T022
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×47.50×37.00 cm
- G.w : 23.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Sonically/Glue sealed , waterproof .
- Multi-function : stop/turn/tail/back-up .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T023	168	12v/24v ,12-24v	Rubber	Yellow+Red+White
RL-T024	108	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T025	52	12v/24v ,12-24v	/	Yellow+Red+White
RL-T026	50	12v/24v ,12-24v	Stainless	Red+White/Red+Yellow
RL-T027	75	12v/24v ,12-24v	Stainless	Red+White/Red+Yellow
RL-T028	90	12v/24v ,12-24v	Iron	Red+White/Red+Yellow

Packing details

RL-T023
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×47.50×37.00 cm
- G.w : 23.00 kgs

RL-T024
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs

RL-T025
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs

RL-T026
- 1pc/color box. 10pcs/ctn.
- Meas : 60.00×42.50×25.50 cm
- G.w : 16.00 kgs

RL-T027
- 1pc/color box. 10pcs/ctn.
- Meas : 62.50×60.00×25.50 cm
- G.w : 24.00 kgs

RL-T028
- 1pc/color box. 20pcs/ctn.
- Meas : 44.50×36.00×45.50 cm
- G.w : 23.00 kgs



RL-T023




RL-T024



RL-T025



RL-T026




RL-T027




RL-T028



RL-T029



RL-T030



RL-T031



RL-T032



RL-T033



RL-T034

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Glue sealed ,waterproof .
- Lens PC-Rated
- Multi-function : stop/turn/tail/back-up .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T029	85	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T030	110	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T031	88	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T032	93	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T033	50	12v/24v ,12-24v	Iron	Red+Yellow
RL-T034	44	12v/24v ,12-24v	Iron	Yellow+Red+White

Packing details

RL-T029
- 1pc/color box. 20pcs/ctn.
- Meas : 35.50×28.00×33.00 cm
- G.w : 20.00 kgs

RL-T030
- 1pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 26.00 kgs

RL-T031
- 1pc/color box. 20pcs/ctn.
- Meas : 51.50×29.00×30.00 cm
- G.w : 25.00 kgs

RL-T032
- 1pc/color box. 20pcs/ctn.
- Meas : 51.50×29.00×30.00 cm
- G.w : 25.00 kgs

RL-T033
- 1pc/color box. 20pcs/ctn.
- Meas : 44.50×36.00×45.50 cm
- G.w : 23.00 kgs

RL-T034
- 1pc/color box. 20pcs/ctn.
- Meas : 47.00×37.00×44.00 cm
- G.w : 27.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Sonically/Glue sealed ,waterproof .
- Lens PC-Rated
- Multi-function : stop/turn/tail/back-up .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T035	56	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T036	44	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T037	65	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T038	68	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T039	30	12v/24v ,12-24v	/	Yellow+Red+White
RL-T040	60	12v/24v ,12-24v	/	Yellow+Red+White



RL-T035



RL-T036



RL-T037



RL-T038



RL-T039



RL-T040

Packing details

RL-T035
- 1pc/color box. 20pcs/ctn.
- Meas : 47.00×40.00×44.00 cm
- G.w : 28.00 kgs

RL-T036
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×31.00 cm
- G.w : 15.00 kgs

RL-T037
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×43.00×34.00 cm
- G.w : 17.00 kgs

RL-T038
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×50.00×31.00 cm
- G.w : 25.00 kgs

RL-T039
- 1pc/color box. 20pcs/ctn.
- Meas : 44.50×42.00×49.00 cm
- G.w : 18.00 kgs

RL-T040
- 1pc/color box. 20pcs/ctn.
- Meas : 51.50×29.00×30.00 cm
- G.w : 24.00 kgs



RL-T041



RL-T042



RL-T043



RL-T044



RL-T045



RL-T046

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function, Stop / Turn / Tail / Back-up .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T041	72	12v/24v ,12-24v	Iron	Yellow+Red
RL-T042	32	12v/24v ,12-24v	Iron	Yellow+Red
RL-T043	40	12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T044	32	12v/24v ,12-24v	/	Yellow+Red+White
RL-T045	40	12v/24v ,12-24v	/	Yellow+Red+White
RL-T046	72	12v/24v ,12-24v	Iron	Yellow+Red

Packing details

RL-T041
- 1pc/color box. 20pcs/ctn.
- Meas : 44.50×36.00×45.50 cm
- G.w : 23.00 kgs

RL-T042
- 1pc/color box. 20pcs/ctn.
- Meas : 44.50×36.00×45.50 cm
- G.w : 23.00 kgs

RL-T043
- 1pc/color box. 20pcs/ctn.
- Meas : 47.00×40.00×44.00 cm
- G.w : 28.00 kgs

RL-T044
- 1pc/color box. 20pcs/ctn.
- Meas : 69.00×36.50×34.00 cm
- G.w : 21.00 kgs

RL-T045
- 1pc/color box. 20pcs/ctn.
- Meas : 85.00×47.00×40.00 cm
- G.w : 28.00 kgs

RL-T046
- 1pc/color box. 20pcs/ctn.
- Meas : 51.50×29.00×30.00 cm
- G.w : 21.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function, Stop / Turn / Tail / Back-up .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T047	36	12v/24v ,12-24v	/	Yellow+Red+White
RL-T048	60	12v/24v ,12-24v	/	Yellow+Red+White
RL-T049	90	12v/24v ,12-24v	/	Yellow+Red+White
RL-T050	60	12v/24v ,12-24v	/	Yellow+Red+White
RL-T051	60	12v/24v ,12-24v	/	Yellow+Red+White
RL-T052	36	12v/24v ,12-24v	/	Yellow+Red+White

Packing details

RL-T047
- 1pc/color box. 20pcs/ctn.
- Meas : 43.00×34.50×35.00 cm
- G.w : 15.00 kgs

RL-T048
- 1pc/color box. 20pcs/ctn.
- Meas : 43.00×34.50×35.00 cm
- G.w : 15.00 kgs

RL-T049
- 1pc/color box. 20pcs/ctn.
- Meas : 56.50×44.50×35.00 cm
- G.w : 15.00 kgs

RL-T050
- 1pc/color box. 20pcs/ctn.
- Meas : 56.50×44.50×35.00 cm
- G.w : 15.00 kgs

RL-T051
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×30.00 cm
- G.w : 10.00 kgs

RL-T052
- 1pc/color box. 20pcs/ctn.
- Meas : 55.00×35.00×30.00 cm
- G.w : 10.00 kgs



RL-T047



RL-T048



RL-T049



RL-T050



RL-T051



RL-T052



RL-T053



RL-T054



RL-T055



RL-T056



RL-T057



RL-T058

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function, Stop / Turn / Tail / Back-up .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T053	24	12v/24v ,12-24v	/	Yellow+Red+White
RL-T054	19	12v/24v ,12-24v	/	Yellow+Red+White
RL-T055	54	12v/24v ,12-24v	/	Yellow+Red+White
RL-T056	16	12v/24v ,12-24v	Iron	Yellow+Red
RL-T057	16	12v/24v ,12-24v	Iron	Yellow+Red
RL-T058	14	12v/24v ,12-24v	/	Yellow+Red

Packing details

RL-E053
- 1pc/color box. 50pcs/ctn.
- Meas : 57.00×21.00×55.00 cm
- G.w : 16.00 kgs

RL-E054
- 1pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-E055
- 1pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-E056
- 2pcs/color box. 40pcs/ctn.
- Meas : 41.00×40.00×32.00 cm
- G.w : 18.00 kgs

RL-E057
- 1pc/color box. 40pcs/ctn.
- Meas : 40.00×26.00×405.00 cm
- G.w : 15.00 kgs

RL-E058
- 1pc/color box. 40pcs/ctn.
- Meas : 40.00×26.00×38.00 cm
- G.w : 12.00 kgs

COMBINATION LED TAIL LIGHTS RUILANG®

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function, Stop / Turn / Tail / Back-up .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T059		12v/24v ,12-24v	/	Yellow+Red+White
RL-T060		12v/24v ,12-24v	/	Yellow+Red+White
RL-T061		12v/24v ,12-24v	/	Yellow+Red+White
RL-T062		12v/24v ,12-24v	/	Yellow+Red+White
RL-T063		12v/24v ,12-24v	ABS	Yellow+Red+White
RL-T064		12v/24v ,12-24v	ABS	Yellow+Red+White




RL-T059



RL-T060



RL-T061



RL-T062



RL-T063



RL-T064



RL-T068



RL-T069



RL-T070

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Glue sealed , waterproof .
- Multi-function : stop/turn/tail/back-up .


ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T068		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T069		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T070		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T071		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T072		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T073		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T071



RL-T072



RL-T073

Packing details

RL-T068
- 2pcs/box . 20 pcs/ctn.
- Meas : 35.50×30.00×34.50cm
- G.w : 15.50 kgs

RL-T069
- 2pcs/box . 20 pcs/ctn.
- Meas : 44.00×40.00×33.00cm
- G.w : 22.00 kgs

RL-T070
- 2pcs/box . 20 pcs/ctn.
- Meas : 35.50×30.00×34.50cm
- G.w : 15.50 kgs

RL-T071
- 2pcs/box .20 pcs/ctn.
- Meas : 44.00×40.00×33.00cm
- G.w : 22.00 kgs

RL-T072
- 2pcs/box . 20 pcs/ctn.
- Meas : 51.50×29.00×30.00cm
- G.w: 22.00 kgs

RL-T073
- 2pcs/box .20 pcs/ctn.
- Meas : 35.50×30.00×34.50cm
- G.w : 15.50 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T098		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T108		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T135		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T136		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T137		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T138		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T098



RL-T108



RL-T135



RL-T136



RL-T137



RL-T138

Packing details

RL-T098
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-T108
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-T135
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-T136
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-T137
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs


RL-T138
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs




RL-T139



RL-T140



RL-T121



RL-T123



RL-T125



RL-T126

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T139		12v/24v ,12-24v	/	Yellow+Red+White
RL-T140		12v/24v ,12-24v	/	Yellow+Red+White
RL-T121		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T123		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T125		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T126		12v/24v ,12-24v	Iron	Yellow+Red+White

Packing details

RL-T139
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-T140
- 2pc/color box. 40pcs/ctn.
- Meas : 46.00×32.00×42.00 cm
- G.w : 12.00 kgs

RL-T121
- 2pc/color box. 40pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T123
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T125
- 2pc/color box. 40pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T126
- 2pc/color box. 40pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T144		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T145		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T146		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T147		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T158		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T124		12v/24v ,12-24v	Iron	Yellow+Red+White

Packing details

RL-T144
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T145
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T146
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T147
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T158
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T124
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs



RL-T144



RL-T145



RL-T146



RL-T147



RL-T158



RL-T124



RL-T132



RL-T133



RL-T134



RL-T141



RL-T142



RL-T143

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T132		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T133		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T134		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T141		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T142		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T143		12v/24v ,12-24v	Iron	Yellow+Red+White

Packing details

RL-T132
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T133
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T134
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T141
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T142
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T143
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .



RL-T154



RL-T155



RL-T156

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T154		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T155		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T156		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T161		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T162		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T160		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T161



RL-T162



RL-T160

Packing details

RL-T154
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T155
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T156
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T161
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T162
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T160
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs



RL-T166



RL-T167



RL-T102



RL-T115



RL-T114



RL-T113

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T166		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T167		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T102		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T115		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T114		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T113		12v/24v ,12-24v	Iron	Yellow+Red+White

Packing details

RL-T166
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T167
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T102
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T115
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T114
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T113
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .



RL-T185



RL-T186




RL-T187

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T185		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T186		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T187		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T191		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T192		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T193		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T191



RL-T192



RL-T193

Packing details

RL-T185
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T186
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T187
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs


RL-T191
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T192
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T193
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs



RL-T105



RL-T106



RL-T107

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T105		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T106		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T107		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T148		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T149		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T150		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T148



RL-T149



RL-T150

Packing details

RL-T105
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T106
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T107
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T148
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T149
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T150
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RUILANG® LED


COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light with Neon and Moving light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T127		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T128		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T129		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T151		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T152		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T153		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T127



RL-T128




RL-T129



RL-T151



RL-T152



RL-T153

Packing details

RL-T127
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs


RL-T128
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T129
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs


RL-T151
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T152
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T153
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs



RL-T168



RL-T111




RL-T112

RUILANG® LED


COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light .
- Hard wired .


ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T168		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T111		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T112		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T163		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T164		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T165		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T163



RL-T164



RL-T165

Packing details

RL-T168
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T111
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T112
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T163
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs

RL-T164
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T165
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light .
- Hard wired .


ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T173		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T174		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T175		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T100		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T157		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T159		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T173



RL-T174



RL-T175



RL-T100



RL-T157



RL-T159

Packing details

RL-T173
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.00 cm
- G.w : 15.50 kgs


RL-T174
- 2pc/color box. 20pcs/ctn.
- Meas : 44.00×40.00×33.00 cm
- G.w : 22.00 kgs

RL-T175
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs


RL-T100
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T157
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs

RL-T159
- 2pc/color box. 20pcs/ctn.
- Meas : 53.00×41.00×32.00 cm
- G.w : 23.00 kgs



RL-T074




RL-T075



RL-T076



RL-T077



RL-T078



RL-T079

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Glue sealed , waterproof .
- Multi-function : stop/turn/tail/back-up .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T074		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T075		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T076		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T077		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T078		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T079		12v/24v ,12-24v	Iron	Yellow+Red+White

Packing details

RL-T074
- 2pcs/box . 20 pcs /ctn.
- Meas : 46.00×44.50×37.50cm
- G.w: 28.00 kg

RL-T075
- 2pcs/box . 20 pcs /ctn.
- Meas : 54.50×50.00×30.00cm
- G.w: 28.00 kg

RL-T076
- 2pcs/box .20 pcs/ctn .
- Meas : 35.50×30.00×34.50cm
- G.w : 15.50 kgs

RL-T077
- 2pcs/box .20 pcs/ctn .
- Meas : 44.00×40.00×33.00cm
- G.w : 22.00 kgs

RL-T078
- 2pcs/box .20 pcs/ctn .
- Meas : 51.50×29.00×30.00cm
- G.w: 22.00 kgs

RL-T079
- 2pcs/box .20 pcs/ctn .
- Meas : 35.50×30.00×34.50cm
- G.w : 15.50 kgs

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Sonically/Glue sealed , waterproof .
- Multi-function : stop/turn/tail/back-up .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T080		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T081		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T082		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T083		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T084		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T085		12v/24v ,12-24v	Iron	Yellow+Red+White

Packing details

RL-T080
- 2pcs/box .20 pcs/ctn .
- Meas : 44.00×40.00×33.00cm
- G.w : 22.00 kgs


RL-T081
- 2pcs/box .20 pcs/ctn .
- Meas : 51.50×29.00×30.00cm
- G.w: 22.00 kgs

RL-T082
- 2pcs/box .40 pcs/ctn .
- Meas : 46.00×32.00×42.00cm
- G.w: 12.00 kgs

RL-T083
- 2pcs/box .20 pcs/ctn .
- Meas : 4.00×57.00×37.00cm
- G.w: 26.00 kgs

RL-T084
- 2pcs/box .20 pcs/ctn .
- Meas : 44.00×40.00×33.00cm
- G.w: 28.00 kgs


RL-T085
- 2pcs/box .20 pcs/ctn .
- Meas : 62.00×57.00×37.00cm
- G.w: 36.00 kgs



RL-T080



RL-T081



RL-T082



RL-T083




RL-T084



RL-T085



RL-T103



RL-T092



RL-T171

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T103		12v/24v ,12-24v	/	Yellow+Red+White
RL-T092		12v/24v ,12-24v	/	Yellow+Red+White
RL-T171		12v/24v ,12-24v	/	Yellow+Red+White
RL-T172		12v/24v ,12-24v	/	Yellow+Red+White
RL-T176		12v/24v ,12-24v	/	Yellow+Red+White
RL-T177		12v/24v ,12-24v	/	Yellow+Red+White



RL-T172



RL-T176



RL-T177

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T109		12v/24v ,12-24v	/	Yellow+Red+White
RL-T169		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T110		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T099		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T131		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T178		12v/24v ,12-24v	/	Yellow+Red+White



RL-T109



RL-T169



RL-T110



RL-T099



RL-T131



RL-T178



RL-T065



RL-T066



RL-T067



RL-T086

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function, Stop / Turn / Tail / Back-up .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T065		12v/24v ,12-24v	ABS	Yellow+Red+White
RL-T066		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T067		12v/24v ,12-24v	/	Yellow+Red+White
RL-T086		12v/24v ,12-24v	Iron	Yellow+Red+White

RUILANG® LED

COMBINATION LED TAIL LIGHTS & KITS

- Multi-function tail light .
- Hard wired .

ITEM NO	DIODES	VOLTAGE	BRACKET	COLOR
RL-T179		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T181		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T182		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T183		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T188		12v/24v ,12-24v	Iron	Yellow+Red+White
RL-T190		12v/24v ,12-24v	Iron	Yellow+Red+White



RL-T179



RL-T181



RL-T182



RL-T183



RL-T188



RL-T190

Packing details

RL-T179
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.50 cm
- G.w : 15.50 kgs

RL-T181
- 2pc/color box. 20pcs/ctn.
- Meas : 51.50×29.00×30.00 cm
- G.w : 23.00 kgs

RL-T182
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.50 cm
- G.w : 15.50 kgs

RL-T183
- 2pc/color box. 20pcs/ctn.
- Meas : 51.50×29.00×30.00 cm
- G.w : 23.00 kgs

RL-T188
- 2pc/color box. 20pcs/ctn.
- Meas : 35.50×30.00×34.50 cm
- G.w : 15.50 kgs

RL-T190
- 2pc/color box. 20pcs/ctn.
- Meas : 51.50×29.00×30.00 cm
- G.w : 23.00 kgs



RL-B001



RL-B002



RL-B003



RL-B004



RL-B005



RL-B006

RUILANG® LED

COMBINATION BULB TAIL LIGHTS & KITS

- Multi-function : stop/turn/tail/back-up
- Bulb included , replaceable .

ITEM NO	VOLTAGE	LENS	HOUSING
RL-B001	12v/24v	PC	ABS
RL-B002	12v/24v	PC	ABS
RL-B003	12v/24v	PC	ABS
RL-B004	12v/24v	PC	ABS
RL-B005	12v/24v	PC	ABS
RL-B006	12v/24v	PC	ABS

Packing details

RL-B001
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B002
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B003
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B004
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B005
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B006
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RUILANG® LED

COMBINATION BULB TAIL LIGHTS & KITS

- Multi-function : stop/turn/tail/back-up
- Bulb included , replaceable .

ITEM NO	VOLTAGE	LENS	HOUSING
RL-B007	12v/24v	PC	ABS
RL-B008	12v/24v	PC	ABS
RL-B009	12v/24v	PC	ABS
RL-B010	12v/24v	PC	ABS
RL-B011	12v/24v	PC	ABS
RL-B012	12v/24v	PC	ABS



RL-B007



RL-B008



RL-B009



RL-B010



RL-B011



RL-B012

Packing details

RL-B007
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B008
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B009
- 1pc/color box. 12pcs/ctn.
- Meas : 61.00×55.00×46.00 cm
- G.w : 22.30 kgs

RL-B010
- 1pc/color box. 12pcs/ctn.
- Meas : 71.00×42.00×66.00 cm
- G.w : 23.90 kgs

RL-B011
- 1pc/color box. 12pcs/ctn.
- Meas : 73.00×41.00×50.00 cm
- G.w : 18.00 kgs

RL-B012
- 1pc/color box. 10pcs/ctn.
- Meas : 67.00×39.00×43.00 cm
- G.w : 11.00 kgs



RL-B013

RUILANG® LED

COMBINATION BULB TAIL LIGHTS & KITS

- Multi-function : stop/turn/tail/back-up
- Bulb included , replaceable .

ITEM NO	VOLTAGE	LENS	HOUSING
RL-B013	12v/24v	PC	ABS

Packing details

RL-B013

- 1pc/color box. 10pcs/ctn.
- Meas : 63.50×34.00×43.00 cm
- G.w : 14.00 kgs

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W078	10-60V	PC	Aluminium
RL-W084	10-60V	PC	Aluminium
RL-W109	10-60V	PC	Aluminium
RL-W110	10-60V	PC	Aluminium
RL-W111	10-60V	PC	Aluminium
RL-W162	10-60V	PC	Aluminium



RL-W078



RL-W084



RL-W109



RL-W110



RL-W111



RL-W162

WORKING LIGHTS
RUILANG®



RL-W001



RL-W002



RL-W003



RL-W004



RL-W005



RL-W006

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W001	10-60V	PC	Aluminium
RL-W002	10-60V	PC	Aluminium
RL-W003	10-60V	PC	Aluminium
RL-W004	10-60V	PC	Aluminium
RL-W005	10-60V	PC	Aluminium
RL-W006	10-60V	PC	Aluminium

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W007	10-60V	PC	Aluminium
RL-W008	10-60V	PC	Aluminium
RL-W009	10-60V	PC	Aluminium
RL-W010	10-60V	PC	Aluminium
RL-W011	10-60V	PC	Aluminium
RL-W012	10-60V	PC	Aluminium



RL-W007



RL-W008



RL-W009



RL-W010



RL-W011



RL-W012

WORKING LIGHTS
RUILANG®



RL-W013



RL-W014



RL-W015



RL-W016



RL-W017



RL-W018

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W013	10-60V	PC	Aluminium
RL-W014	10-60V	PC	Aluminium
RL-W015	10-60V	PC	Aluminium
RL-W016	10-60V	PC	Aluminium
RL-W017	10-60V	PC	Aluminium
RL-W018	10-60V	PC	Aluminium

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W019	10-60V	PC	Aluminium
RL-W020	10-60V	PC	Aluminium
RL-W021	10-60V	PC	Aluminium
RL-W022	10-60V	PC	Aluminium
RL-W023	10-60V	PC	Aluminium
RL-W024	10-60V	PC	Aluminium



RL-W019



RL-W020



RL-W021



RL-W022



RL-W023



RL-W024

WORKING LIGHTS
RUILANG®



RL-W025



RL-W026



RL-W027



RL-W028



RL-W029



RL-W030

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W025	10-60V	PC	Aluminium
RL-W026	10-60V	PC	Aluminium
RL-W027	10-60V	PC	Aluminium
RL-W028	10-60V	PC	Aluminium
RL-W029	10-60V	PC	Aluminium
RL-W030	10-60V	PC	Aluminium

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W031	10-60V	PC	Aluminium
RL-W032	10-60V	PC	Aluminium
RL-W033	10-60V	PC	Aluminium
RL-W034	10-60V	PC	Aluminium
RL-W035	10-60V	PC	Aluminium
RL-W036	10-60V	PC	Aluminium



RL-W031



RL-W032



RL-W033



RL-W034



RL-W035



RL-W036



RL-W037



RL-W038



RL-W039



RL-W040



RL-W041



RL-W042

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W037	10-60V	PC	Aluminium
RL-W038	10-60V	PC	Aluminium
RL-W039	10-60V	PC	Aluminium
RL-W040	10-60V	PC	Aluminium
RL-W041	10-60V	PC	Aluminium
RL-W042	10-60V	PC	Aluminium

WORKING LIGHTS

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W043	10-60V	PC	Aluminium
RL-W044	10-60V	PC	Aluminium
RL-W045	10-60V	PC	Aluminium
RL-W046	10-60V	PC	Aluminium



RL-W043



RL-W044



RL-W045



RL-W046



RL-W086



RL-W087



RL-W088



RL-W089



RL-W090



RL-W092

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W086	10-60V	PC	Aluminium
RL-W087	10-60V	PC	Aluminium
RL-W088	10-60V	PC	Aluminium
RL-W089	10-60V	PC	Aluminium
RL-W090	10-60V	PC	Aluminium
RL-W092	10-60V	PC	Aluminium

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W093	10-60V	PC	Aluminium
RL-W095	10-60V	PC	Aluminium
RL-W097	10-60V	PC	Aluminium
RL-W099	10-60V	PC	Aluminium
RL-W107	10-60V	PC	Aluminium
RL-W108	10-60V	PC	Aluminium



RL-W093



RL-W095



RL-W097



RL-W099



RL-W107



RL-W108



RL-W061



RL-W064



RL-W065

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W061	10-60V	PC	Aluminium
RL-W064	10-60V	PC	Aluminium
RL-W065	10-60V	PC	Aluminium
RL-W068	10-60V	PC	Aluminium
RL-W071	10-60V	PC	Aluminium
RL-W072	10-60V	PC	Aluminium



RL-W068



RL-W071



RL-W072

RUILANG®
WORKING LIGHTS

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W105	10-60V	PC	Aluminium
RL-W106	10-60V	PC	Aluminium
RL-W052	10-60V	PC	Aluminium
RL-W098	10-60V	PC	Aluminium
RL-W103	10-60V	PC	Aluminium
RL-W104	10-60V	PC	Aluminium



RL-W105



RL-W106



RL-W052



RL-W098



RL-W103



RL-W104



RL-W063



RL-W066



RL-W067

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W063	10-60V	PC	Aluminium
RL-W066	10-60V	PC	Aluminium
RL-W067	10-60V	PC	Aluminium
RL-W069	10-60V	PC	Aluminium
RL-W070	10-60V	PC	Aluminium
RL-W073	10-60V	PC	Aluminium



RL-W069



RL-W070



RL-W073

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W062	10-60V	PC	Aluminium
RL-W074	10-60V	PC	Aluminium
RL-W075	10-60V	PC	Aluminium
RL-W076	10-60V	PC	Aluminium
RL-W079	10-60V	PC	Aluminium
RL-W080	10-60V	PC	Aluminium




RL-W062



RL-W074



RL-W075



RL-W076



RL-W079



RL-W080



RL-W081



RL-W082



RL-W083



RL-W085



RL-W100



RL-W102

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.


ITEM NO	VOLTAGE	LENS	HOUSING
RL-W081	10-60V	PC	Aluminium
RL-W082	10-60V	PC	Aluminium
RL-W083	10-60V	PC	Aluminium
RL-W085	10-60V	PC	Aluminium
RL-W100	10-60V	PC	Aluminium
RL-W102	10-60V	PC	Aluminium

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W053	10-60V	PC	Aluminium
RL-W054	10-60V	PC	Aluminium
RL-W055	10-60V	PC	Aluminium
RL-W056	10-60V	PC	Aluminium
RL-W057	10-60V	PC	Aluminium
RL-W058	10-60V	PC	Aluminium



RL-W053



RL-W054



RL-W055




RL-W056



RL-W057



RL-W058



RL-W059



RL-W060



RL-W077



RL-W091



RL-W094



RL-W096

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W059	10-60V	PC	Aluminium
RL-W060	10-60V	PC	Aluminium
RL-W077	10-60V	PC	Aluminium
RL-W091	10-60V	PC	Aluminium
RL-W094	10-60V	PC	Aluminium
RL-W096	10-60V	PC	Aluminium

RUILANG® LED


WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.


ITEM NO	VOLTAGE	LENS	HOUSING
RL-W051	10-60V	PC	Aluminium
RL-W112	10-60V	PC	Aluminium
RL-W113	10-60V	PC	Aluminium
RL-W115	10-60V	PC	Aluminium
RL-W116	10-60V	PC	Aluminium
RL-W117	10-60V	PC	Aluminium



RL-W051



RL-W112



RL-W113



RL-W115



RL-W116



RL-W117



RL-W047



RL-W048



RL-W049



RL-W050



RL-W118



RL-W159

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W047	10-60V	PC	Aluminium
RL-W048	10-60V	PC	Aluminium
RL-W049	10-60V	PC	Aluminium
RL-W050	10-60V	PC	Aluminium
RL-W118	10-60V	PC	Aluminium
RL-W159	10-60V	PC	Aluminium

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W123	10-60V	PC	Aluminium
RL-W124	10-60V	PC	Aluminium
RL-W140	10-60V	PC	Aluminium
RL-W159	10-60V	PC	Aluminium
RL-W141	10-60V	PC	Aluminium
RL-W120	10-60V	PC	Aluminium




RL-W123



RL-W124



RL-W140




RL-W159



RL-W141



RL-W120



RL-W157



RL-W158



RL-W127

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W157	10-60V	PC	Aluminium
RL-W158	10-60V	PC	Aluminium
RL-W127	10-60V	PC	Aluminium
RL-W125	10-60V	PC	Aluminium
RL-W128	10-60V	PC	Aluminium
RL-W129	10-60V	PC	Aluminium



RL-W125



RL-W128



RL-W129

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W131	10-60V	PC	Aluminium
RL-W132	10-60V	PC	Aluminium
RL-W133	10-60V	PC	Aluminium
RL-W121	10-60V	PC	Aluminium
RL-W134	10-60V	PC	Aluminium
RL-W135	10-60V	PC	Aluminium



RL-W131



RL-W132



RL-W133




RL-W121



RL-W134



RL-W135



RL-W122



RL-W138



RL-W139



RL-W146



RL-W147



RL-W148

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W122	10-60V	PC	Aluminium
RL-W138	10-60V	PC	Aluminium
RL-W139	10-60V	PC	Aluminium
RL-W146	10-60V	PC	Aluminium
RL-W147	10-60V	PC	Aluminium
RL-W148	10-60V	PC	Aluminium

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W149	10-60V	PC	Aluminium
RL-W150	10-60V	PC	Aluminium
RL-W151	10-60V	PC	Aluminium
RL-W152	10-60V	PC	Aluminium
RL-W153	10-60V	PC	Aluminium
RL-W154	10-60V	PC	Aluminium



RL-W149



RL-W150



RL-W151



RL-W152



RL-W153



RL-W154




RL-W130



RL-W155



RL-W156



RL-W161

RUILANG® LED

WORKING LIGHTS

- Die cast aluminum housing and impact resistance polycarbonate lens .
- IP65 rated for dust and water resistance .
- Hard wired.

ITEM NO	VOLTAGE	LENS	HOUSING
RL-W130	10-60V	PC	Aluminium
RL-W155	10-60V	PC	Aluminium
RL-W156	10-60V	PC	Aluminium
RL-W161	10-60V	PC	Aluminium

Screw decoration cover RUiLANG®

RL-D001



RL-D002



RL-D003



RL-D004



RL-D005



RL-D006



RL-D007



RL-D008



RL-D009



RL-D010



RL-D011



RL-D012




RL-D013



RL-D014



RL-D015



RUiLANG® Brackets / Grommets / Stainless steel trim ring

RL-A001



RL-A002



RL-A003




RL-A004



RL-A005



RL-A006




RL-A007



RL-A008



RL-A009



RL-A010



RL-A011



RL-A012



RL-A013



Brackets / Grommets / Plug RUiLANG®

RL-A014



RL-A015



RL-A016



RL-A017




RL-A018



RL-A019



RL-A020



RL-A021



RL-A022



RL-A023




RL-A024



RL-A025



RL-A026



RL-A027



RUiLANG® Reflector / Plug / Gasket

RL-A028



RL-A029



RL-A030



RL-A031




RL-A032



RL-A033




RL-A034



RL-R001



RL-R002




RL-R003



RL-R004




RL-R005




RL-R006




RL-R007



RL-R008




RL-R009




Reflector RUiLANG®


RL-R010



RL-R011



RL-R012



RL-R013



RL-R014





RUiLANG®

BETTER VALUE · BETTER OPTIONS

RUILANG LIGHTS LIMITED WARRANTY

Ruilang lighting products are warranted for a period of ONE year from defects in workmanship and/or materials only. Ruilang will replace the product to the original purchaser or refund the purchase price if the products fails because of defect due to workmanship and/or materials within the limited warranty period from the date or lot code printed on the products. if warrantor is unable to provide replacement and repair is not commercially practicable or cannot be timely made, then warrantor will refund the purchaser price. This offer does not constitute in any way a part of other product guarantee and Ruilang does not assume any obligations beyond replacement of the products. This warranty is not transferable and applies to the original installation of the products .

Mob/Wechat: +86-185 1528 8265 +86-138 3378 7666 +86-136 5337 1688